

Pckasse

Webshop integration

Version 1.8

Implemented in Pckasse 3.1.5.0

Technical documentation

Date: 14. mai 2018



Pckasse "WebshopWSService" Description

Introduction

Pckasse connects to a SOAP webservice to exchange data with the webshop. Pckasse initiates all communication between the POS and the webshop. There is no way for the webshop to initialize conversation. This is because Pckasse is locally installed and often behind a firewall.

We need to synchronize the article register for all articles that is "Visible on web" after the webshop is created. A button in Pckasse transfers everything. This button is only used at the initial setup.

Every time an object relevant to the webshop is changed or created an appropriate function is called to synchronize the registers. This call is queued and removed if successful. If an error is returned that item will be flagged and resent when the error is corrected in Pckasse.

Each time communication is started the GetOrders function is queued. You can also press a button to get the orders.

Unless it is a credit order Pckasse expects the fetched orders to be new, valid and paid for. The next step is to deliver the items. For prepaid orders, Pckasse will call "UpdateOrderStatus" with the items delivered. Status is set to "part delivered" or "fully delivered". If status is "fully delivered" then delete the remaining order lines, if any. Because payment can be declined, Pckasse waits for the response to see if delivery is accepted.

Package number can be specified, or it can be sent later with "UpdatePackageInfo"

If the customer returns the goods, Pckasse will use CreditOrder to return payment to the customer. It is possible to specify an additional amount, but the total cannot exceed the captured amount.

For the Webshop API to work, it must be activated in the Pckasse Licence for 3. party implementations.

Technical Info

Integrated webshop WSDL:

<http://webshop.deltasoft.no/DeltaWebshop/WS/WebshopWS?wsdl>

If you want to make your own webshop, you must make a WSDL equal to this, and override webshop URL in Pckasse.

There are tools available to generate stubs from wsdl (For example WSDL.exe in visual studio)

Following is a description of the functions that you need to implement for Pckasse to work.

Shared classes

- Class **insertUpdateResponse**
 - Property **deltald** as **Integer**
ID of the involved object in the webshop
 - Property **errorHelpLink** as **String**
Optional (not used in Pckasse yet)
 - Property **errorMessage** as **String**
Used if humanErrorMessage is blank
 - Property **humanErrorMessage** as **String**
Shown to the user if operationResult < > 0
 - Property **operationResult** as **Integer**
0 = OK

Shared fields (used by every method)

- Property **Login** as **integer**
Credentials
- Property **Password** as **string**
Credentials
- Property **Timestamp** as **long**
If smaller timestamp is received on same object, discard call.

Methods

Methods used by Pckasse: *sendArticle, sendImage, sendImageColor, sendArticleGroup, sendManufacturer, sendSize, sendColor, updateStockCount, removeArticle, getOrders, updateOrderStatus, updatePackageInfo, creditOrder, sendProductLine, getAllPaymentTypes, getCreditApplicants, GetStatus, getWelcomeMailTemplate, sendCustomerInfo, sendDiscount, getReceiptURL, getArticleURL, getOrderInfoURL*

- ❖ **createWebshop** (*createWebshop* as **createWebshop**) as **createWebshopResponse**
This method is called when the create webshop button is clicked in Pckasse. If implemented the webshop should create a new webshop and return login info. If a webshop already exists resend login info to the registered admin e-mail for this webshop. If this method is not implemented then return information about how to create a webshop in the humanErrorMessage in insertUpdateResponseObject and set operationResult to 1 to indicate an error.
 - Class **createWebshop**
 - Property **webcompany** as **webCompany**
 - Class **webCompany**
 - Property **deliveryAddressLine1** as **String**
 - Property **deliveryAddressLine2** as **String**
 - Property **deliveryCity** as **String**
 - Property **deliveryZipCode** as **String**
 - Property **demo** as **Boolean**
Not used from within Pckasse.

- Property **email** as **String**
The company's email address
 - Property **emailWebshopInfo** as **String**
Email to the webshop administrator, to use for important info, error messages, login info etc.
 - Property **fax** as **String**
 - Property **invoiceAddressLine1** as **String**
 - Property **invoiceAddressLine2** as **String**
 - Property **invoiceCity** as **String**
 - Property **invoiceZipCode** as **String**
 - Property **legalName** as **String**
 - Property **licenseNo** as **String**
 - Property **name** as **String**
 - Property **orgNo** as **String**
 - Property **password** as **String**
If webshop exists and password is correct, then update info
 - Property **phone** as **String**
 - Property **postAddressLine1** as **String**
 - Property **postAddressLine2** as **String**
 - Property **postCity** as **String**
 - Property **postZipCode** as **String**
- Class **createWebshopResponse**
- Property **return** as **createDeltasWebshopResponse**
- Class **createDeltasWebshopResponse**
- Property **adminUserName** as **String**
*The username of the admin user used to login to web administration
Not used by Pckasse. Often sent in e-mail to webshop admin*
 - Property **adminUserPassword** as **String**
The password of the admin user used on web
 - Property **deltasoftId** as **Integer**
The id of the created webshop
 - Property **insertUpdate** as **insertUpdateResponse**
 - Property **password** as **String**
The password of the created webshop
- ❖ **creditOrder** (*creditOrder* as **creditOrder**) as **creditOrderResponse**
Used to credit items already delivered.
- Class **creditOrder**
- Property **amount** as **Decimal**
*Additional amount to credit (other than specified in orderLineUpdates)
Total cannot exceed reserved amount.*
 - Property **login** as **Integer**
 - Property **orderId** as **Integer**
Webshop orderID
 - Property **orderLine** as **orderLineUpdate()**

- Property **password** as **String**
- Property **reason** as **String**
Message to customer
- Class **orderLineUpdate**
 - Property **amount** as **Integer**
Number of items credited
 - Property **orderLineId** as **Integer**
Webshop orderlineId (-10 is freight, -11 is extracost)
 - Property **Info** as **string**
Info about serialnumbers (Serienr: n[,n])
- Class **creditOrderResponse**
 - Property **return** as **updateOrderResponse**
- Class **updateOrderResponse**
 - Property **amount** as **Decimal**
Total amount credited (including extraCost and freightCost)
 - Property **authorzationId** as **String**
Payment AuthorizationID from card issuer. Used as reference for accounting
 - Property **extraCost** as **Decimal**
Part of amount that is extraCost
 - Property **freightCost** as **Decimal**
Part of amount that is freightCost
 - Property **insertUpdate** as **insertUpdateResponse**
 - Property **paymentMethod** as **String**
Name of paymentmethod. Ex VISA, Mastercard
- ❖ **getAllPaymentTypes** (*getAllPaymentTypes* as **getAllPaymentTypes**) as **getAllPaymentTypesResponse**
*Returns all possible paymenttypes from the webshop. It is used to specify an account number when sending journal to accounting. **Since paymenttype is sent with each updateOrderResponse this function can be skipped by sending an empty array.***
- Class **getAllPaymentTypes**
 - Property **login** as **Integer**
 - Property **password** as **String**
- Class **getAllPaymentTypesResponse**
 - Property **return** as **getPaymentTypesResponse**
- Class **getPaymentTypesResponse**
 - Property **insertUpdate** as **insertUpdateResponse**
 - Property **payments** as **paymentType()**
- Class **paymentType**
 - Property **name** as **String**
 - Property **paymentId** as **Integer**

❖ **getOrders** (*getOrders* as **getOrders**) as **getOrdersResponse**

Return a list of new orders, from the webshop

DO NOT send order twice!

If Pckasse cannot save order because of an error it will immediately return

UpdateOrderStatus with OrderStatusId=7, 8 or 10 and a message with info why it failed.

The webshop system should send an email to the person responsible for the webshop if

OrderStatusId=7 or to the customer if OrderStatusId=8

If a credit order (paymenttype=3) has a contactId that is not found in Pckasse it will

send UpdateOrderStatus with OrderStatusId=10 (Resend Credit Applicant)

See UpdateOrderStatus for more info.

If paymentMethod=2 (COD) and storePickup is true the order is saved as a "parked"

order in Pckasse, so that it can be picked up at the cash register and finished it there.

For example takeout orders, where customer pays at pickup. No further communication

with webshop about deliveries etc is sent.

If paymentMethod=3 (Credit), the order is saved as a normal credit order and no further

communication to webshop about deliveries etc is sent.

If freightCost and/or extraCost is specified, special ordrelines will be added to the order

(Flagged with webshopOrderLineId -10 / -11)

- Class **getOrders**
 - Property **login** as **Integer**
 - Property **password** as **String**

- Class **getOrdersResponse**
 - Property **return** as **webOrdersReturn**

- Class **webOrdersReturn**
 - Property **insertUpdate** as **insertUpdateResponse**
 - Property **listWebOrders** as **order()**

- Class **order**
 - Property **contactAddressline1** as **String**
Used as customer address in Pckasse if create customer option is enabled.
 - Property **contactAddressline2** as **String**
Used as customer address2 in Pckasse if create customer option is enabled.
 - Property **contactId** as **Integer**
Required if credit order
Used as customer externalId in Pckasse if create customer option is enabled.
 - Property **contactName** as **String**
Used as customer name in Pckasse if create customer option is enabled.
 - Property **contactPostCity** as **String**
Used as customer city in Pckasse if create customer option is enabled.
 - Property **contactPostNo** as **String**
Used as customer zipcode in Pckasse if create customer option is enabled.

- Property **deliveryAddressLine1** as **String**
Used as Pckasse order delivery address
- Property **deliveryAddressLine2** as **String**
Used as Pckasse order delivery address
- Property **deliveryName** as **String**
Used as Pckasse order delivery address
- Property **deliveryPostCity** as **String**
Used as Pckasse order delivery address
- Property **deliveryPostNo** as **String**
Used as Pckasse order delivery address
- Property **deltaOrderId** as **Integer**
Webshop orderid. Must be supplied. Pckasse uses this when orderlines is delivered etc.
- Property **email** as **string**
Used as customer email in Pckasse if create customer option is enabled.
- Property **extraCost** as **Decimal**
Possible extra cost, ex fees or other costs
- Property **extraCostDescription** as **String**
If specified used as orderline description overriding articlename from Pckasse
- Property **freightCost** as **Decimal**
Total delivery cost including possible COD amounts, credit card fees ex
- Property **freightCostDescription** as **String**
If specified used as orderline description overriding articlename from Pckasse
- Property **message** as **String**
Message from customer placing the order.
- Property **orderLines** as **orderLine()**
- Property **paymentMethod** as **Integer**
*2 = COD
3 = Credit Order
All other values means its prepaid*
- Property **phone** as **String**
Used as Pckasse order delivery phone
- Property **storePickup** as **boolean**
If true, specifies that order is to be picked up at the store.
- Property **taxExempt** as **Boolean**
If true, Pckasse flags order as vat free.
- Property **WantedDeliveryTime** as **Date**
Wanted delivery date
- Property **alternativeTax** as **Boolean**
*If true, Pckasse uses alternativeTax on all articles that has this option.
For example food that has 25% default vat and 15% alternative vat*
- Property **deliveredItemsAndCapturedPaymentInfo** as **deliveredItemsAndCapturedPaymentInfo()**
If set, Pckasse will assume that the items are allready processed and flag them as delivered and forward the sale to accounting and statistics.

- Class **orderLine**
 - Property **articleId** as **Integer**
Pckasse ArticleId
 - Property **count** as **Integer**
Number of items on this row
 - Property **discount** as **Decimal**
*Used as discountpercentage when paymentMethod<>3
25 = 25%*
 - Property **into** as **String**
Extra info about the orderline
 - Property **orderLineId** as **Integer**
Webshop OrderLineId. Must be supplied. Used when communication with webshop at a later time.
 - Property **price** as **Decimal**
Used as price when paymentMethod<>3
 - Property **sizeColorId** as **Integer**
 - Property **warehouseId** as **Integer**
If deliveredItemsAndCapturedPaymentInfo is set (Pckasse does not handle the delivery of the articles) this is used as the warehouse id to reduce the stock from.

- Class **deliveredItemsAndCapturedPaymentInfo**
 - Property **amount** as **decimal**
*Total amount captured from customer **including extra cost and freight cost***
 - Property **authorizationId** as **string**
CardIssuer Authorization Id
 - Property **extraCost** as **decimal**
*Part of Amount that is extracost
Special ordrelines for extraCost is updated if it exists, if not this value is ignored and there will be a difference between debit and credit in the accounting journal.*
 - Property **freightCost** as **decimal**
*Part of Amount that is freight
Special ordrelines for freightCost is updated if it exists, if not this value is ignored and there will be a difference between debit and credit in the accounting journal.*
 - Property **paymentMethod** as **string**
*Name og payment method, ex Visa, Master.
It is created in Pckasse if it does not exist.*

❖ **removeArticle** (*removeArticle* as **removeArticle**) as **removeArticleResponse**
Sent to the webshop if an article is deleted from Pckasse. The webshop should delete article if possible or set visible on web to false.

- Class **removeArticle**
 - Property **articleId** as **Integer**
Pckasse ArticleID

- Property **login** as **Integer**
- Property **password** as **String**
- Class **removeArticleResponse**
 - Property **[return]** as **insertUpdateResponse**
- ❖ **sendArticle** (*sendArticle* as **sendArticle**) as **sendArticleResponse**
*Sends all info about an article when it is created or changed.
Only sends info if it is flagged with "Visible on web", or "Visible on web" is changed
SendImage or SendImageColor is called if an article has an image or the image is changed*
 - Class **sendArticle**
 - Property **article** as **article**
 - Property **login** as **Integer**
 - Property **password** as **String**
 - Class **article**
 - Property **alternativePrice** as **decimal**
This is field is inc. vat.
 - Property **alternativePrice2** as **decimal**
*This is field is inc. vat.
If this is set, then this value should be used as price when alternativeVat is defined and the order is takeaway (alternativeTax), so that the price is nice and round instead of a calculated uneven price.
NB! Not to be used if alternativeVat is null*
 - Property **articleGroup** as **articleGroup**
*If articleGroup is null then do not update.
If ArticleGroup Id = 0, then remove it from the article
If ArticleGroup does not exist, create it*
 - Property **articleGroup2** as **articleGroup**
See articleGroup info above
 - Property **articleGroup3** as **articleGroup**
See articleGroup info above
 - Property **articleId** as **Integer**
Pckasse articleID
 - Property **articleNo** as **String**
 - Property **articleStatus** as **Integer**
0-Active, 1-Passive, 2-Expired, 3- Blocked
 - Property **articleWebAction** as **Integer**
0-Normal, 1- CallToPurchase, 2-CallForPrice
 - Property **confirmedDelivery** as **Boolean**
True if ExpectedDeliveryDate is confirmed
 - Property **costPrice** as **decimal**
 - Property **description** as **String**
 - Property **discount** as **Decimal**
Offer price

- Property **discountFrom** as **Long**
Offer price valid from (number of milliseconds from 1/1/1970 00:00)
- Property **discountTo** as **Long**
Offer price valid to (number of milliseconds from 1/1/1970 00:00)
- Property **eans** as **String()**
- Property **expectedDeliveryAmount** as **Integer**
Number of items to be delivered from supplier.
- Property **expectedDeliveryDate** as **DateTime**
*If null then unknown deliverydate.
See ConfirmedDeliveryDate*
- Property **externalGroupId** as **Integer**
Pckasse ArticleGroupID used by SendDiscount.categoryID
- Property **externalLink** as **String**
- Property **height** as **decimal**
- Property **hideWhenOutOfStock** as **Boolean**
*If it is true hide the article from web if it is not in stock.
Ex season articles.*
- Property **length** as **decimal**
- Property **manufacturer** as **manufacturer**
- Property **manufacturerArticleNo** as **String**
- Property **name** as **String**
- Property **noDiscount** as **boolean**
Order discount field should not be used.
- Property **nonStockItem** as **boolean**
This article in external stock (Use special text if zero stock)
- Property **nonStockItemDays** as **integer**
Days to get the article from external stock
- Property **price1** as **decimal**
- Property **price2** as **decimal**
- Property **price3** as **decimal**
- Property **price4** as **decimal**
- Property **price5** as **decimal**
- Property **price6** as **decimal**
- Property **price7** as **decimal**
- Property **price8** as **decimal**
- Property **price9** as **decimal**
- Property **price10** as **decimal**
- Property **productLine** as **productLine**
- Property **purchasePrice** as **decimal**
- Property **recommendedProduct** as **Boolean**
Suggested use: Show article as a recommended product. Ex at start page
- Property **salesPrice** as **Decimal**
Price in the webshop inc. vat
- Property **shippingType** as **integer**
*0 – Not specified
3 – Cannot be shipped
5 – Freight per article*

- Property **sizeColorInUse** as **Boolean**
 - Property **sizeColors** as **sizeColor()**
 - Property **stockCcount** as **Integer** (Yes. It's correct and misspelled)
Quantity in stock
 - Property **stockDetails** as **stockDetail()**
Quantity in stock specified by warehouse
 - Property **storePrice** as **Decimal**
Price in the physical shop inc. vat
 - Property **subtitle** as **String**
 - Property **suggestedPrice** as **Decimal**
 - Property **timestamp** as **Long**
 - Property **vat** as **Decimal**
Vat percentage (25, 15, 0 etc)
 - Property **visibleOnWeb** as **Boolean**
 - Property **volume** as **Decimal**
 - Property **webshippingPrice** as **Decimal**
 - Property **webstockLimit** as **Integer**
Suggested use: Subtract this from stockCcount before displaying available stock in the webshop
 - Property **weight** as **Decimal**
 - Property **width** as **Decimal**
 - Property **alternativeVat** as **Decimal**
*Set if this article has alternative vat defined otherwise null.
Ex food that has 25% default vat and 15% alternative vat.
If Order is sent with flag "alternativeTax" this rate is used instead of the default*
 - Property **info1** as **String**
 - Property **info2** as **String**
 - Property **info3** as **String**
- Class **articleGroup**
- Property **arcileGroupIId** as **Integer** (YES! The name is correct and misspelled!)
*Pckasse ArticleGroupID
Can be the same for different groupNumbers.
groupNumber and arcileGroupIId together forms the unique key.*
 - Property **description** as **String**
Suggested use: Show as a heading when selecting group
 - Property **groupNumber** as **Integer**
Articlegroup level 1,2 or 3
 - Property **name** as **String**
 - Property **timestamp** as **Long**
- Class **manufacturer**
- Property **manufacturerId** as **Integer**
Pckasse Id
 - Property **name** as **String**
 - Property **timestamp** as **Long**

- Class **productLine**
 - Property **id** as **Integer**
Pckasse Id
 - Property **name** as **String**
 - Property **number** as **Integer**

- Class **sizeColor**
 - Property **color** as **color**
 - Property **confirmedDelivery** as **Boolean**
True if ExpectedDeliveryDate is confirmed
 - Property **eans** as **String()**
 - Property **expectedDeliveryAmount** as **Integer**
Number of items to be delivered from supplier.
 - Property **expectedDeliveryDate** as **Date**
If null then deliverydate is unknown
 - Property **info** as **String**
Info about the size. Ex US 9 equals EU 40
 - Property **size** as **size**
 - Property **sizeColorId** as **Integer**
Pckasse Size/Color combo Id
 - Property **sizeColorInUse** as **Boolean**
False if discontinued
 - Property **stockCount** as **Integer**
Available Stock with that size/color combo
 - Property **stockDetails** as **stockDetail()**
Count in stock specified by warehouse
 - Property **timestamp** as **Long**

- Class **size**
 - Property **name** as **String**
 - Property **sizeId** as **Integer**
Pckasse Id
 - Property **timestamp** as **Long**

- Class **color**
 - Property **code** as **String**
 - Property **colorId** as **Integer**
Pckasse Id
 - Property **name** as **String**
 - Property **timestamp** as **Long**

- Class **stockDetail**
 - Property **warehouseId** as **Integer**
 - Property **count** as **Integer**
Count in stock

- Class **sendArticleResponse**
 - Property **[return]** as **insertUpdateResponse**

- ❖ **sendArticleGroup** (*sendArticleGroup* as **sendArticleGroup**) as **sendArticleGroupResponse**
Called when an article group is created or changed
 - Class **sendArticleGroup**
 - Property **articleGroup** as **articleGroup**
 - Property **login** as **Integer**
 - Property **password** as **String**
 - Class **articleGroup**
Specified under sendArticle

- ❖ **sendColor** (*sendColor* as **sendColor**) as **sendColorResponse**
Called when a color is created or changed in Pckasse
 - Class **sendColor**
 - Property **color** as **color**
 - Property **login** as **Integer**
 - Property **password** as **String**
 - Class **color**
Specified under sendArticle

- ❖ **sendImage** (*sendImage* as **sendImage**) as **sendImageResponse**
Send image to webshop. If ArticleId=-10 then it is the company Logo
 - Class **sendImage**
 - Property **articleid** as **Integer**
Pckasse ArticleId (-10 is company logo)
 - Property **image** as **Byte()**
Must support most common types (jpeg, png, gif)
If empty byte array, delete from article
 - Property **login** as **Integer**
 - Property **password** as **String**

- ❖ **sendImageColor** (*sendImageColor* as **sendImageColor**) as **sendImageColorResponse**
Sends an image for a specified color of the article. Multiple images pr color is possible.
 - Class **sendImageColor**
 - Property **articleid** as **Integer**
Pckasse articleid
 - Property **colorid** as **Integer**
Pckasse colorid
 - Property **image** as **Byte()**
If it is an empty byte array then delete the image from article/color
 - Property **imageid** as **Integer**
Pckasse imageld
 - Property **login** as **Integer**

- Property **password** as **String**
- ❖ **sendManufacturer** (*sendManufacturer* as **sendManufacturer**) as **sendManufacturerResponse**
Called when a manufacturer is created or changed in Pckasse
 - Class **sendManufacturer**
 - Property **login** as **Integer**
 - Property **manufacturer** as **manufacturer**
 - Property **password** as **String**
 - Class **manufacturer**
Specified under sendArticle
- ❖ **sendSize** (*sendSize* as **sendSize**) as **sendSizeResponse**
Called when a size is created or changed in Pckasse
 - Class **sendSize**
 - Property **login** as **Integer**
 - Property **password** as **String**
 - Property **size** as **size**
 - Class **size**
Specified under sendArticle
- ❖ **updateOrderStatus** (*updateOrderStatus* as **updateOrderStatus**) as **updateOrderStatusResponse**
*Called when an order is changed. When items are delivered, or an order has an error.
Normal statuses:
OrderStatusId=3 - Fully delivered. Undelivered items should be cancelled (if any)
OrderStatusId=5 – Normal delivery (Do not cancel rest)
Errors:
OrderStatusId=7 - Order failed - Send message to webshop admin.
OrderStatusId=8 - Order failed - Send message to customer.
OrderStatusId= 10 - Order failed because of missing customer (only credit). Flag the customer for resending. Credit applicants are delivered to Pckasse with GetCreditApplicants.*
 - Class **updateOrderStatus**
 - Property **login** as **Integer**
 - Property **password** as **String**
 - Property **updateOrder** as **updateOrder**
 - Class **updateOrder**
 - Property **deltaOrderId** as **Integer**
Webshop OrderId
 - Property **message** as **String**
Message to customer
 - Property **orderLines** as **orderLineUpdate()**

- Property **orderStatusId** as **Integer**
3 – Fully delivered (Cancel rest), 5 – normal delivery, 7 – Failed (message to admin), 8 – Failed (message to customer), 10 - ResendCreditApplicant
 - Property **packageNo** as **String**
*Transporter packageNo. Used for tracking
If not supplied, it may be transferred later using UpdatePackageInfo, based on SendId*
 - Property **packtrackURL** as **String**
 - Property **sendId** as **Integer**
Pckasse deliveryId. UpdatePackageInfo may use this at a later time.
 - Property **timestamp** as **Long**
 - Property **transporterName** as **String**
- Class **orderLineUpdate**
- Property **amount** as **Integer**
Number of items delivered
 - Property **info** as **String**
Used for serianlnumbers
 - Property **orderLineId** as **Integer**
- Class **updateOrderResponse**
- Property **amount** as **Decimal**
*Total amount captured from customer **including extra cost and freight cost***
 - Property **authorzationId** as **String**
CardIssuer Authorization Id
 - Property **extraCost** as **Decimal**
*Part of Amount that is extracost
Special ordreline for extraCost is updated if it exists, if not this value is ignored and there will be a difference between debet and credit in the accounting journal.*
 - Property **freightCost** as **Decimal**
*Part of Amount that is freight
Special ordreline for freightCost is updated if it exists, if not this value is ignored and there will be a difference between debet and credit in the accounting journal.*
 - Property **insertUpdate** as **insertUpdateResponse**
 - Property **paymentMethod** as **String**
*Name og payment method, ex Visa, Master.
It is created in Pckasse if it does not exist.*
- ❖ **updatePackageInfo** (*updatePackageInfo* as **updatePackageInfo**) as **updatePackageInfoResponse**
Updates packackeno on a shipment if not send by UpdateOrderStatus
- Class **updatePackageInfo**
- Property **login** as **Integer**

- Property **message** as **String**
Message to Customer
- Property **packageNo** as **String**
- Property **packtrackURL** as **String**
- Property **password** as **String**
- Property **sentid** as **Integer**
Same SentId used by UpdateOrderStatus.sendId
- Property **transporterName** as **String**

❖ **updateStockCount** (*updateStockCount* as **updateStockCount**) as **updateStockCountResponse**

*Called when article stock amount changes. Ex sales, purchase, inventory
If a SizeColor is defined on an article, this function is called multiple times.
One for the total on the article, with sizecolor not specified, and one for each sizecolor.
If operationResult<>0, remaining sizecolors will not be sent.*

- Class **updateStockCount**
 - Property **login** as **Integer**
 - Property **password** as **String**
 - Property **updateStock** as **updateStock**
- Class **updateStock**
 - Property **articleId** as **Integer**
Pckasse ArticleId
 - Property **confirmedDelivery** as **Boolean**
 - Property **count** as **Integer**
Number of items in stock
 - Property **expectedDeliveryAmount** as **Integer**
 - Property **expectedDeliveryDate** as **Date**
 - Property **sizeColorId** as **Integer**
 - Property **stockDetails** as **stockDetail()**
Number of items in stock specified by warehouse
 - Property **timestamp** as **Long**

❖ **getCreditApplicants** (*getCreditApplicants* as **getCreditApplicants**) as **getCreditApplicantsResponse**

*Return a list of customerers who have applied for credit.
Pckasse will return approved or not with SendCustomer.
SendCustomer contains all discounts for the customer.*

- Class **GetCreditApplicants**
 - Property **login** as **Integer**
 - Property **password** as **String**
- Class **getCreditApplicantsResponse**
 - Property **return** as **creditApplicantsReturn**
- Class **creditApplicantsReturn**
 - Property **insertUpdate** as **insertUpdateResponse**

- Property **listCustomers** as **customer()**

➤ Class **customer**

- Property **contactId** as **Integer**
Webshop contact Id
- Property **email** as **String**
- Property **fax** as **String**
- Property **invoiceAddress** as **String**
- Property **invoiceAddress2** as **String**
- Property **invoiceOnEmail** as **Boolean**
- Property **invoicePostCity** as **String**
- Property **invoicePostNo** as **String**
- Property **name** as **String**
- Property **orgNo** as **String**
- Property **phone1** as **String**

❖ **sendCustomerInfo** (sendCustomerInfo as **sendCustomerInfo**) as **sendCustomerInfoResponse**

Used when if customer is approved for credit when received by GetCreditApplicants or when Pckasse sends a new customer (deltaCustomerId is then 0)

An invitation email should be sent with login and password to the customer if the welcomemessage field is set. Rember to add header (welcome customerName) and footer (You Login is.....)

➤ Class **sendCustomerInfo**

- Property **customerInfo** as **customerInfo**
- Property **login** as **Integer**
- Property **password** as **String**

➤ Class **customerInfo**

- Property **address1** as **string**
- Property **address2** as **string**
- Property **countryCode** as **Integer**
ISO 3166-1
http://no.wikipedia.org/wiki/ISO_3166-1
- Property **creditApproved** as **Boolean**
True if approved for credit.
Suggested use: Inform the customer about result.
- Property **customerGroup** as **customerGroup**
Customers group in Pckasse
- Property **deltaCustomerId** as **Integer**
External Customer Id (Same as GetCreditApplicants.ContactId)
If not set, this is a new customer and it should receive welcome email containing the customerInfo.welcomeMessage
- Property **email** as **string**
- Property **listDiscounts** as **discount()**
All discounts belonging to the customer.
- Property **name** as **string**

- Property **orgNo** as **string**
 - Property **pckCustomerId** as **Integer**
Pckasse internal Customer Id
 - Property **phoneNo** as **string**
 - Property **postCity** as **string**
 - Property **postNo** as **string**
 - Property **welcomeMessage** as **string**
Message that should be sent to customer together with header and footer
 - Class **customerGroup**
 - Property **customerGroupID** as **Integer**
 - Property **name** as **String**
 - Class **discount**
 - See `sendDiscount` for info.
 - Class **sendCustomerInfoResponse**
 - Property **return** as **insertUpdateResponse**
- ❖ **sendDiscount** (`sendDiscount` as **sendDiscount**) as **sendDiscountResponse**
 Updates discountline if changed or new
 The most specified discountrow is applied.
 If you get a hit then this discount and/or price should be applied to orderline except is offerprice is lower.
 For use in SQL:
 Select Top 1 ...
 Where clause: `where (ValidUntil is null or ValidUntil>getdate()) and (CustomerGroupID is null or CustomerGroupID=@CustomerGroupID) and (CustomerID is null or CustomerID=@CustomerID) order by ArticleID desc, ArticleGroup2ID desc, ArticleGroupID desc, ManufacturerId desc, CustomerID desc, CustomerGroupID desc, PriceType desc, Discount desc`
- Class **sendDiscount**
 - Property **discount** as **discount**
 - Property **login** as **Integer**
 - Property **password** as **String**
 - Class **sendDiscountResponse**
 - Property [return] as **insertUpdateResponse**
 - Class **Discount**
 - Property **articleId** as **Integer**
Discount on a specified article
 - Property **category2Id** as **Integer**
Discount on all articles in this category
 - Property **categoryId** as **Integer**
Discount on all articles in this category
 - Property **count** as **Integer**
Discount only if count is higher

- Property **customerGroupId** as **Integer**
Discount on entire group of customers
- Property **customerId** as **Integer**
Discount for specified customer
- Property **deleteDiscount** as **Boolean**
Remove discount row if true
- Property **discount1** as **Decimal**
Discount in percentage
- Property **discountId** as **Integer**
Pckasse internal Id
- Property **manufacturerId** as **Integer**
Discount for this manufacturer only
- Property **priceAdjustment** as **Decimal**
Add this percentage to price specified in priceType and set as orderlines Price if priceType>0
- Property **priceType** as **Integer**
 - 0 - Discount Only
 - 1 - Netprice
 - 2 - Costprice
 - 3 - AlternativePrice2
 - 4 - PurchasePrice
 - 5 - SuggestedPrice
 - 6 - AlternativePrice
 - 7 - AveragePurchasePrice
 - 8 - Price1
 - 9 - Price2
 - 10- Price3
 - 11 - Price4
 - 12 - Price5
 - 13 - Price6
 - 14 - Price7
 - 15 - Price8
 - 16 - Price9
 - 17 - Price10
- Property **validUntil** as **DateTime**
Discount expires on this date

❖ **getStatus** (getStatus as **getStatus**) as **getStatusResponse**
Gets current status of the webshop. Used only for info to the user.

- Class **getStatus**
 - Property **login** as **integer**
 - Property **password** as **String**
- Class **getStatusResponse**
 - Property **return** as **status**
- Class **status**

- Property **creditApplicants** as **Integer**
Number of applicants waiting to be fetched
- Property **message** as **String**
Shown if operationResult <> 0
- Property **onlineCustomers** as **Integer**
Number of visitors on the web at the current time
- Property **operationResult** as **Integer**
- Property **orders** as **Integer**
Number of orders not yet fetched by Pckasse.

❖ **getWelcomeMailTemplate** (getWelcomeMailTemplate as **getWelcomeMailTemplate**) as **getWelcomeMailTemplateResponse**
Used before a customer is sent to the webshop to setup welcome message.

- Class **getWelcomeMailTemplate**
 - Property **login** as **integer**
 - Property **password** as **String**
- Class **getWelcomeMailTemplateResponse**
 - Property **return** as **mailTemplate**
- Class **mailTemplate**
 - Property **footer** as **string**
Cannot be changed in Pckasse
Used to display the full message
 - Property **header** as **string**
Cannot be changed in Pckasse
Used to display the full message
 - Property **message** as **string**
Can be edited and is returned to the webshop in
SendCustomerInfo.welcomeMessage

❖ **getReceiptURL** (getReceiptUrl as **getReceiptURL**) as **getReceiptURLResponse**
Used to get the url for the receipt for an order.
Pckasse will tell Windows to "open" this url, so remember to prefix with http://
If more than one receipt exists, because of multiple deliveries, a list should be displayed so the customer can choose.

- Class **getReceiptURL**
 - Property **login** as **integer**
 - Property **password** as **string**
 - Property **orderid** as **integer**
The orderid to get receipt for
- Class **getReceiptURLResponse**

- Property **return** as **string**
Customer is forwarded to this string.

- ❖ **getArticleURL** (getArticleUrl as **getArticleURL**) as **getArticleURLResponse**
Used to get the url to show article info.
Pckasse will tell Windows to "open" this url, so remember to prefix with http://
A page will typically display article name, image, stock etc.
 - Class **getArticleURL**
 - Property **login** as **integer**
 - Property **password** as **string**
 - Property **pckid** as **integer**
The articleid to return info for

 - Class **getArticleURLResponse**
 - Property **return** as **string**
Customer is forwarded to this string.

- ❖ **getOrderInfoURL** (getOrderInfoUrl as **getOrderInfoURL**) as **getOrderInfoURLResponse**
Used to get the url to show order info.
Pckasse will tell Windows to "open" this url, so remember to prefix with http://
A page will typically display info about the order, much as the end customer sees when logging on the "My page"
 - Class **getOrderInfoURL**
 - Property **login** as **integer**
 - Property **password** as **string**
 - Property **orderid** as **integer**
The orderid to return info for

 - Class **getOrderInfoURLResponse**
 - Property **return** as **string**
Customer is forwarded to this string.